


PLAN VIEW WITHOUT OPTIONAL DRAINAGE TREATMENT




PLAN VIEW WITH OPTIONAL DRAINAGE TREATMENT (SEE NOTE 2)






TRANSVERSE TRANSITION AREA - HOT MIX ASPHALT OVERLAY SPLICE (SEE NOTE 2)




SECTION A-A
WITH OR WITHOUT OPTIONAL DRAINAGE TREATMENT



NOTES:

- 1. RAISED CROSSWALK REQUIRES STORM WATER TO BE COLLECTED AND CONVEYED TO AN APPROPRIATE LOCATION.
- 2. THE OPTIONAL DRAINAGE TREATMENT SHALL ONLY BE USED IN RETROFIT SITUATIONS. THE TRANSVERSE TRANSITION AREA DETAIL ABOVE IS FOR USE ON HIGHWAYS WITH CROSS SLOPES. RETROFIT RAISED CROSSWALKS ON ROADWAYS THAT EXCEED THIS LIMIT SHALL BE DETAILED IN THE PLANS.
- 3. THE TRANSITION AREA MAY BE CONCRETE OR HMA, AND WILL BE AS SHOWN ON THE PLANS.
- 4. ALL SURFACES OF THE MILLED TRANSITION AREA SHALL BE CLEANED. TACK-COAT SHALL BE APPLIED PRIOR TO HMA PLACEMENT. THE COST OF MILLING REBATES AND TACK COAT IN THE HMA OVERLAY SPLICE TRANSITION AREA SHALL BE PAID FOR UNDER THEIR RESPECTIVE ITEMS. THE COST OF LEAVING A NEAT EDGE SHALL BE INCLUDED IN THE MILLING ITEM.
- 5. SEE SHEET 2 OF 3 FOR PCC RAISED CROSSWALK DETAILS.
- 6. SEE SHEET 3 OF 3 FOR SIGNING AND PAVEMENT MARKING DETAILS.
- 7. SIGNING AND PAVEMENT MARKINGS SHALL BE IN ACCORDANCE WITH THE MUTCD.
- 8. FOR CONTRAST OR AESTHETICS, A TYPE S CROSSWALK PAVEMENT MARKING MAY BE USED WITH A COLORED OR TEXTURED CROSSWALK SURFACE.




/S/ RICHARD W. LEE, P.E.

DEPUTY CHIEF ENGINEER

APPROVED MARCH 07, 2016

ISSUED UNDER EB 16


608-07



CAST IN PLACE CONCRETE
RAISED CROSSWALK REINFORCEMENT PLAN
(SEE NOTE 9)

NOTES:

- GROUT BETWEEN GRANITE/PRECAST CURBS AND CONCRETE PAVEMENT SHALL MEET STANDARD SPECIFICATION 705.21
 FOR TYPE S MASONRY MORTAR. CAULKING SHALL CONFORM TO REQUIREMENTS OF CAULKING COMPOUND FOR DRAINAGE
 STRUCTURES
- 2. EXTRA LONGITUDINAL JOINT TIES, USED AS REINFORCEMENT, ARE NEEDED ONLY WHEN DRAINAGE STRUCTURES ARE PRESENT.
- 3. SEE NYSDOT STANDARD SHEET 502-02 FOR PROPER DOWEL BAR/TIE BAR SPACING.
- 4. SEE NYSDOT STANDARD SHEETS 502-03 THROUGH 502-07 FOR LONGITUDINAL AND TRANSVERSE JOINT DETAILS.
- SIGNAGE AND PAVEMENT MARKINGS SHALL BE IN ACCORDANCE WITH THE MUTCO. SEE STANDARD SHEET 608-07 SHEET 3 OF 3 FOR SIGNING AND PAVEMENT MARKING DETAILS.
- 6. MAY BE USED FOR HIGHWAYS WITH \le 20,000 ADT, \le 5% TRUCKS, AND A PAVEMENT SURFACE SCORE OF 7 OR GREATER.
- 7. DETERMINE PCC THICKNESS (D) FROM THE CONTRACT DOCUMENTS.
- 8. FOR PCC PAVEMENT, COMPOSITE PAVEMENTS, AND HMA PAVEMENTS NOT MEETING NOTE 6, FULL DEPTH REPLACEMENT IS REQUIRED.
- 9. SEE CURB & GUTTER STANDARD SHEETS FOR ANCHOR REQUIREMENTS, IF APPLICABLE.



TOP OF CROSSWALK

BOTTOM OF TRANSITION RAMP,
EXISTING PAVEMENT ELEVATION
BLENDED TRANSITION

SUBBASE

CURB (SEE NOTE 9)

PARGE/GROUT JOINT
PRIOR TO PLACING CURB
(SEE NOTE 1)


BLENDED TRANSITION

SUBBASE


CURB (SEE NOTE 9)

CURB (SEE NOTE 9)


HIGHWAY CROSS SECTION




OPTIONAL TRANSITION AREA
FOR PCC OVERLAY SPLICE ON FULL DEPTH HMA
(SEE NOTE 6)



TRANSITION AREA - FULL DEPTH (SEE NOTE 8)







FILE NAME = 608-0703.dgn DATE/TIME = 08-MAR-2016 15:10 USER = Imontgomery